

Mobile Jaw Crusher

Mobile jaw crushing and screening plant is the latest stone crushing equipment, widely used in areas with large move-ability, such as metallurgy, chemical industry, building construction, hydroelectric project etc.. User can choose various disposition form accrding to raw material, handling capacity and requirement of the finished products. Rubber-tyred mobile jaw crushing and screening plant expands the concept of coarse crushing to a large extent.

Rubber-tyred mobile jaw crushing and screening plant is the latest stone crushing equipment, widely used in areas with large move-ability, such as metallurgy, chemical industry, building construction, hydroelectric project etc.. User can choose various disposition form accrding to raw material, handling capacity and requirement of the finished products. Rubber-tyred mobile jaw crushing and screening plant expands the concept of coarse crushing to a large extent.





Characteristics of Mobile Jaw Crusher:

1. High effective performance, big crushing ratio, and strong driving force.
2. Integration of truck-mounted motor and electronic cabinet box.
3. Vibrating feeder, screen, jaw crusher, cone crusher and vertical crusher are integrated together.
4. Integrated installation of belts, screen and crusher.
5. Quick installation.
6. Convenient highway transportation and ground detection.

Technical Parameter Of Mobile Jaw Crusher:

Model Technical data	YG830E46	YG938E57	YG938E69	YG114E710	YG134E912
Transportation Length (mm)	8600	9800	11000	13000	14000
(If there is an diesel	10000	11600	12000	14000	15500



Kefid Machinery (Zhengzhou) Co.,Ltd

generator)					
Transportation Width (mm)	2450	2450	2450	2450	3000
Transporation Height (mm)	3800	3500	3600	4500	4800
Maximum Length (mm)	12000	13300	13200	15000	17000
Maximum Width (mm)	2800	2900	2900	2900	3100
Maximum Height (mm)	3800	4100	4600	5800	5800
Weight (T)	26	32	41	55	81
Tire Configuration	Uniaxial	Dualaxial	Triaxial	Triaxial	Quadrxial
Jaw crusher	PE400×600	PE500×750	PE600×900	PE750×1060	PE900×1200
The maximum Feeding size (mm)	350	425	480	630	750
Discharge opening size(mm)	40-100	50-100	65-160	80-140	95-165
Capacity (T/h)	15-60	50-100	60-130	100-250	160-380
Vibrating Feeder	GZD850×3000	GZD960×3800	GZD960×3800	GZD1100×4200	GZD1300×4900
Belt conveyor	B650×7M	B650×7.5M	B800×8M	B1000×9M	B1200×11M

Note:

1. The above model is elementary portable crushing plant;
2. We can produce the Portable Jaw Crusher according to customers' requirement.

Contact Us**Kefid (Zhengzhou) Machinery Co.,Ltd**

Address :	National HI-TECH Industry Development Zone, Zhengzhou, China.		
PostCode :	450001		
MSN :	kefidmachinery@hotmail.com	Yahoo! Messenger:	kefidmachinery@yahoo.com
Sales Department		Marketing Department	
Tel :	0086-371-67999255 0086-371-67988500	Tel :	0086-371-68006801
Fax :	0086-371-67998980	Fax :	0086-371-67998980
E-mail :	sales@kefid.com	E-mail :	kefid.market@gmail.com
After Sale Department		Human Resource Department	
E-mail :	kefid.aftersale@gmail.com	E-mail :	kefid.hr@gmail.com
Technology Department		Financial Department	
E-mail :	kefid.tech@gmail.com	E-mail :	kefid.financial@gmail.com

Kefid (ShangHai) Machinery Co.,Ltd

Tel:	0086-21-58385016	Mobile :	0086-13818659191
E-mail:	kefidshanghai@gmail.com	MSN :	kefid-shanghai@hotmail.com