

## Primary Impact Crusher

PPF impact crushers are generally used as a primary crushers for crushing quarry rock, which are designed for crushing low abrasive and medium hard materials. The materials fed to the crusher through its large feeding opening are crushed in two stages while impacted by the rotor's hammers to the adjustable primary and secondary impact plates.



### Features of Primary Impact Crusher :

The materials will not pass to the secondary impact plate until being crushed and reduced to the size which the primary impact plate is adjusted to and will not pass to discharging chute until being crushed and reduced to the size which the secondary impact plate is adjusted to. By this adjustable impact plates the maximum size of output material can be controlled.

**PPF serious impact crusher** adopts the newest international technology. Rotor is the heart of the impact crusher, also it is the part that is required most strictly. Rotor plays an important role in operation. So, Zhengzhou Kefid Machinery develops and product sturdy-constructed heavy rotor in order to gain higher rotary inertia. High-abrasive material and the high-qualified crushing chamber makes sure the unsurpassed performance. It is widely used for coarse crushing, intermediate crushing and fine crushing



Zhengzhou Kefid Machinery Co., Ltd.

☎ : 0086-371-67999255 0086-371-67988500

☎ : 0086-371-67998980

✉ : sales@kefid.com

of soft and midium hard materials, such as metalurgy, mine, cement, chemical industry, fireproofing material and ceramics industry, highway constrction, water conservation project, construction rubble, sand making, etc.

## Technical Parameter Of Primary Impact Crusher :

P model	Spec.	Feeding size (mm)	Max. feeding size (mm)	Capacity (t/h)	Power (kW)	Weight (t)
PFP 1210	Φ1150X960	1100X1030	400	90-160	90-110	17.0
PFP 1214	Φ1150X1400	1100X1430	500	130-200	132-160	22.0
PFP 1315	Φ1300X1500	1200X1530	600	180-320	160-200	29.0
PFP 1318	Φ1300X1800	1200X1830	700	240-400	200-250	34.0

If there is change of the above specification, it subjects to the newest products' specifications.

Note: Any change of **Primary Impact Crusher** technical data shall not be advised additionally.



## Контакты

### Чжэнчжоуская :

Адрес :	КНР, г.Чжэнчжоу, Высокотехнологичная промышленная зона развития, ул. Хэуан, д.5		
Индекс :	450001		
MSN :	kefidmachinery@hotmail.com	Yahoo! Messenger:	kefidmachinery@yahoo.com
<b>Sales Department</b>		<b>Marketing Department</b>	
Тел. :	0086-371-67999255 0086-371-67988500	Тел. :	0086-371-68006801
Факс :	0086-371-67998980	Факс :	0086-371-67998980
E-mail :	sales@kefid.com	E-mail :	kefid.market@gmail.com
<b>After Sale Department</b>		<b>Human Resource Department</b>	
E-mail :	kefid.aftersale@gmail.com	E-mail :	kefid.hr@gmail.com
<b>Technology Department</b>		<b>Financial Department</b>	
E-mail :	kefid.tech@gmail.com	E-mail :	kefid.financial@gmail.com

### Шанхайская :

Тел. :	0086-21-58385016	Факс :	0086-21-58377628
Адрес	КНР, г. Шанхай, новый район ПУДУН, ул. Хуа Ся Сань, No.201-34		
E-mail:	sales@kefidchina.com	MSN :	kefid-shanghai@hotmail.com