

Spring cone crusher

Spring cone crusher is suitable for various kinds of stone of high and medium hardness. It is of reliable structure, high procuction efficiency, convenient adjustment, and economical usage, etc. The tramp metal overload protection keeps the machine from damage. Water and oil sealing isolate powder and lubricating oil, making sure reliable work. The chamber is dicided by the mineral ueage: the standard cone crusher for intermediate crushing, medium-sized for fine crushing and short head for untra-fine crushing.

Applied range: spring cone crusher is the earliest cone crusher. It is hydraulic cone crusher of high-power, big crushing ratio, high efficiency. This cone crusher is designed on the basis of international advanced technology. It is different from and integrates the main advantages of traditional cone crushers. It is widely used for fine crushing, untra-fine crushing of hard rock, miniral, slag, fireproof material, metallurgy, building industry, road construction, chemical industry and phosphate industry. It is suited for iron ore, copper ore, limestone, quartz, granite, basalt and diabase etc.





Kefid Machinery (Zhengzhou) Co.,Ltd





Technical Parameter Of Spring Cone Crusher:

Туре		Max. input (mm)	Adjusting range of output (mm)	Capacity (t/h)	Motor power (kW)	weight (t)	Overall dimensions (L×W×H)(mm)
PYB	900	115	15-50	50-90	55	10.2	3050×1640×2350
PYZ		60	5-20	20-65		10.2	
PYD		40	3-13	15-50		10.3	
PYB	1200	145	20-50	110-200	110	24.7	4152×2300×2980
PYZ		100	8-26	50-150		25	



Kefid Machinery (Zhengzhou) Co.,Ltd

PYD		50	3-15	18-105		25.6	
PYB	4	215	25-60	280-480	160	50.3	4870×3800×4192
PYZ		185	10-30	115-320		50.3	
PYD		85	5-15	75-230		50.4	
PYB	2200	300	30-60	590-1000	260-280	80	7705×3430×4852
PYZ		230	10-30	200-580		80	
PYD		100	5-15	120-340		81.4	

Note: Any change of **Cone Crusher** technical data shall not be advised additionally.



Contact Us

Kefid (Zhengzhou) Machinery Co.,Ltd

Address: National HI-TECH Industry Development Zone, Zhengzhou, China.

PostCode: 450001

MSN: kefidmachinery@hotmail.com Yahoo! kefidmachinery@yahoo.com
Messenger:

Sales Department Marketing Department

0086-371-67999255 Tel: Tel: 0086-371-68006801

Fax: 0086-371-67998980 Fax: 0086-371-67998980

E-mail: sales@kefid.com E-mail: kefid.market@gmail.com

After Sale Department Human Resource Department

E-mail: kefid.aftersale@gmail.com E-mail: kefid.hr@gmail.com

Technology Department Financial Department

E-mail: kefid.tech@gmail.com E-mail: kefid.financial@gmail.com

Kefid (ShangHai) Machinery Co.,Ltd

0086-371-67988500

Tel:	0086-21-58385016	Mobile :	0086-13818659191	
E-mail:	kefidshanghai@gmail.com	MSN :	kefid-shanghai@hotmail.com	